



Received: 08/26/2008	Completed: 08/27/2008	Letter: O	rb	P.O.#: 0000044678	Test Report #: 2-75045-0-
----------------------	-----------------------	-----------	----	-------------------	---------------------------

Client's Identification	Ranger Lining. 54" Wide, 100% Cotton. Used For Stage Draperies.
-------------------------	---

<b>Tested For: Bob Bertrand/Yesenia Vargas</b> Rose Brand 4 Emerson Lane Secaucus, NJ 07094	<b>Key Test: NFPA 701-89 Sm</b>  <b>Tel: 1-(800)-223-1624</b> <b>Fax: 1-(201)-809-1851</b>	<b>105</b>  <b>Ext: 115</b>
--	---	-----------------------------------

PC: 1H

TEST PERFORMED: NFPA 701 - Standard Methods of Fire Tests for Flame Resistant Textiles and Films 1989 Edition (Small Scale Procedure for Curtains & Draperies Weighing Less than 10 oz/yd<sup>2</sup>)

Note: NFPA 701 - 1989 Edition was specified by the older building codes for draperies, window treatments, and similar hanging decorations. The older building codes required both the Small Scale and Large Scale Tests.

In 1996 NFPA 701 was revised and an entirely different test was developed for draperies, window treatments, and similar hanging decorations. This single test (which replaces the 1989 Tests) is designated as Test Method 1.

RESULTS REPORTED: ☒ Initially  
☐ After 3 dry cleanings  
☐ After 5 launderings @ 160°F

RESULTS:	Specimen #	Afterflame* (seconds)	Flaming Drip (seconds)	Char Length (inches)
Length:	1	0	0	3.0
	2	0	0	2.9
	3	0	0	2.7
	4	0	0	3.8
	5	0	0	5.1
Width:	6	0	0	2.8
	7	0	0	2.7
	8	0	0	3.1
	9	0	0	2.9
	10	0	0	3.3
		Avg: 0	Avg: 3.2	

APPROXIMATE WEIGHT OF MATERIAL (as measured by Govmark): 7.9 oz/yd<sup>2</sup>

CONCLUSION: Based on the above Results and Acceptance Criteria, the item tested:

☒ Complies; ☐ Does not comply; ☐ Requires testing of 5 additional specimens



Received: 08/26/2008	Completed: 08/27/2008	Letter: O	rb	P.O.#: 0000044678	Test Report #: 2-75045-0-
Client's Identification	Ranger Lining. 54" Wide, 100% Cotton. Used For Stage Draperies.				
Tested For: <b>Bob Bertrand/Yesenia Vargas</b>			Key Test: NFPA 701-89 Sm		105
Rose Brand 4 Emerson Lane Secaucus, NJ 07094			Tel: 1-(800)-223-1624 Fax: 1-(201)-809-1851		Ext: 115

ACCEPTANCE CRITERIA:

Afterflame (seconds)	Flaming Drip (seconds) Maximum Average	Char Length (inches)	
		Max. Avg.	Max. Ind. Spec.
*	2.0	6.5"	7.5"

\* Afterflame is required to be recorded;  
however, it is not factored into the Acceptance Criteria.

RETEST PROVISION:

Test 5 additional specimens if only 1 specimen exceeds 7.5" Char Length.

REMARKS: None.

CERTIFICATION: I certify that the above results were obtained after testing specimens in accordance with the procedures and equipment specified by NFPA 701 - 1989 Edition Small Scale Procedure for Curtains and Draperies.

  
-----  
AUTHORIZED SIGNATURE  
THE GOVMARK ORGANIZATION, INC. /rb

(Page 2 of 2)