

800-223-1624 • 201-809-1730 | RoseBrand.com

## PRODUCT DATASHEET

Product	Wahl Winch 25 X2 Med Duty DMX Winch w/dual lift lines	Part No. WAHL0008
Description	The Winch 25 X2 uses two active lift lines to maintain a set piece in a plane, eliminating an rotation or sway while in motion. Perfect for moving elements that need to maintain their proper orientation. Like the rest of the Wahlbe Winch series, the Winch 25 X2 is compact end to fit comfortably in a grid, attached to small tr even mounted to ceiling points while still proving 25Kg (55lbs) of lift.	erg ough russ,
	Unlike chain motors, the Wahl 25 X2 Winch is perfect for medium duty lifting with fast pick-up and synchronized operation. Its unique 2 wire configuration, simplifies flying moon boxes, panels, mirrors and picture frames – all with the ease of control from a DMX lighting desk or stalone DMX controller.	ne e
	Perfect for Technical Directors, Church technicians, Shop Project Managers, Exhibit builders and decorators – virtually anyone with need for simple, affordable and safe automatic	
Features	Features     Compact size, with medium load capacity     Dual pick-up lines	Benefits              Mounts in small spaces for heavy lifting             Eliminate spinning scenery and hold it in proper orientation
	Fast cable retraction	Quick scene changes
	25kg (55lb) working load	Suitable for heavier fabric rigging, and for lifting scenic elements like chandeliers, mirrors and window units
	Precision control of position and speed via DMX (7 channels)	Safe, repeatable and accurate positioning and limit settings.
Specifications	25 Kg (55lb) working load limit	5-pin DMX input and pass through
	2-16 inch/sec. speed	7 Channels of DMX control
	33ft lifting height (50ft optional)	
	2mm coated wire rope	Powercon™ Input 230VAC input, 300 watt consumption
	16-bit DMX precision	• 27 x 8.9 x 14.25 in; 55 lbs
	0.04in position accuracy	
Notes	Wahlberg Winches are designed and tested for use moving light-weight scenic elements such as fabrics, small decor, props and light scenic pieces. They are not intended to be used for primary stage rigging of battens or fly-lines or any other safety-critical applications.	

