



Rose Brand East:

4 Emerson Lane Secaucus NJ 07094
800-223-1624 201-809-1730 Fax: 201-809-1851

Rose Brand West:

10616 Lanark Street Sun Valley CA 91352
800-360-5056 818-505-6290 Fax: 818-505-6293

County of Essex
State of New Jersey

New York City Affidavit of Flame Retardancy

We, the undersigned, being duly sworn, depose and say that we are in business in New York, New York, with headquarters in Secaucus, New Jersey, and additional offices in Sun Valley, California.

This document is to certify that, in accordance with the NYC Fire Code §805 and NYC Fire Regulations §805-01, the fabric (or substrate) below is in compliance with the requirements of **NFPA 701**. Additionally, I have tested this material, using the recommended NYC Fire Department match flame test, and the material passes this test.

The material listed below was treated with a Fire Retardant Chemical approved by and registered with the NYC Fire Dept. This chemical is approved for use on the materials listed below.

Chemical: NYC FD Approval No.: 5012

The warranted effectiveness of the chemical treatment is three years in accordance with NYC Fire Regulations §805-0, with annual testing recommended by the NYC Fire Department due the effect of the accumulation of air-borne dust and oils.

This certificate is valid for a period of three (3) years in accordance §805-01 (d)(2)(C). After three years, the acceptance of the material may be renewed upon a re-testing, and a replacement affidavit needs to be issued. Any further renewal is possible only with a re-treatment of the fabric.

Any washing of the treated materials will wash the treatment away. Any washing, cleaning or alteration of this material will void this certificate.

Owner/Purchaser Name: to be determined

Purchaser PO#: pending

Purchaser Project/Event Name: to be determined

Address of Usage: t.b.d.

Location of Test: 4 Emerson Lane, Secaucus, New Jersey

Rose Brand Order: pending

Date of Test and Affidavit: t.b.e.

Fabric Used: xx yards of 51" wide, 100% polyester, silver *Chevy Metal* fabric

Sworn before me this xxth day of XXXXX, 20xx

SAMPLE ONLY

For Rose Brand Wipers, Inc.
Mercedes Betances Certificate of Fitness # 84843408
Type C-15 for Supervisor of Flameproofing
New York City Fire Department
Certificate of Fitness Expiration Date: December 22, 2018